


## MC Akut

Exide koodi.	JAPNR.	Ah/10h EN	CCA A(EN)	MITAT mm			Kenno
				P	L	K	
<b>12 VOLT MC - GEL (Factory sealed - valmiiksi hapotettu)</b>							
80014	GEL12-14	14 (20h)	150	150	87	145	4
80016	GEL12-16	16 (20h)	100	180	75	165	3
80019	GEL12-19	19 (20h)	170	185	80	170	3
80030	GEL12-30	30(20h)	180	197	132	186	4
<b>12 VOLT MC - AGM (Factory sealed - valmiiksi hapotettu)</b>							
4908	AGM12-4	4	50	113	70	85	3
4910	AGM12-5	5	70	113	70	105	3
4923	AGM12-7F	7	85	150	65	100	6
4914	AGM12-8	8	190	150	87	93	4
4913	AGM12-9	9	150	135	75	139	4
4916	AGM12-10	10	180	150	87	130	4
4918	AGM12-12	12	200	150	87	145	4
4924	AGM12-12F	12	150	150	100	100	6
4919	AGM12-14	12	200	134	89	164	3
4584	AGM12-18	18	190	181	77	167	3
4922	AGM12-23	21	350	205	86	162	3
4990	AGM12-31	30	380	166	126	175	3
<b>12 VOLT MC - Huoltovapaa (mukana happopatruuna)</b>							
4992	YT4B-BS	2,3	30	113	38	85	5
4972	YTR4A-BS	2,3	30	113	48	85	5
4590	YTX4L-BS	3	50	113	70	85	3
4592	YTX5L-BS	4	70	113	70	105	3
4593	YTX7A-BS	6	90	150	87	93	4
4594	YTX7L-BS	6	80	113	70	130	3
4975	YTZ7-S	6	130	113	70	105	3
4904	YT7B-BS	6,5	80	150	64	93	4
4903	YT9B-BS	8	110	150	70	105	4
4595	YTX9-BS	8	120	150	87	105	4
4976	YTZ10-BS	8,6	190	150	87	93	4
4962	YTX9C-BS	9	150	135	75	139	4
4905	YT12A-BS	9,5	130	150	87	105	4
4906	YT12B-BS	10	180	150	70	130	4
4596	YTX12-BS	10	180	150	87	130	4
4977	YTZ14-BS	11	210	150	87	110	4
4907	YT14B-BS	12	130	150	70	145	4
4597	YTX14-BS	12	200	150	87	145	4
4993	YTX14L-BS	12	200	150	87	145	3
4995	YTX14AH-BS	12	200	134	89	164	4
4996	YTX14AHL-BS	12	200	134	89	164	3
4991	YTX15L-BS	13	230	175	87	130	3
4974	YTX16-BS	14	220	150	87	161	4
4598	YTX20H-BS	18	270	175	87	155	4
4599	YTX20HL-BS	18	270	175	87	155	3
4999	YTX20CH-BS	18	270	150	87	161	4
4994	YTX24HL-BS	21	350	205	87	162	3







12 VOLT MC - Huoltovapaa (mukana happopatruuna) 12 VOLT MC - Huoltovapaa (mukana happopatruuna)





PIENKONEAKUT

jöhin, moottorikelkkoihin,  
koottereihin





## MC Akut

Exide koodi.	JAPNR.	Ah/10h ENAh/10	CCA A(EN)	MITAT mm			Kenno
				P	L	K	
<b>12 VOLT MC - Normaali (mukana happopatruuna)12</b>							
4575	YB2,5L-C2	2,5	20	80	70	105	3
4543	YB3L-A	3	25	98	56	110	3
4545	YB3L-B	3	25	98	56	110	3
4961	YB4L-A	4	50	120	70	92	3
4516	YB4L-B	4	50	120	70	92	3
4517	12N5-3B	5	40	120	60	130	3
4546	YB5L-B	5	65	120	60	130	3
4559	12N5,5-3B	5,5	45	135	60	130	3
4518	12N5,5A-3B	5,5	40	103	90	114	3
4560	12N7-3B	7	75	135	75	133	3
4928	12N7-4B	7	75	135	75	133	4
4536	YB7C-A	8	90	130	90	114	3
4577	YB7-A	8	85	135	75	133	4
4583	YB7L-B	8	85	135	75	133	3
4573	12N9-3B	9	85	135	75	139	3
4503	12N9-4B-1	9	85	135	75	139	4
4980	YB9B	9	100	135	75	139	4
4581	YB9L-A2	9	100	135	75	139	3
4554	YB9L-B	9	100	135	75	139	3
4942	12N10-3B	10	110	135	90	145	3
4526	YB10L-A2	11	130	135	90	145	3
4562	YB10L-B	11	130	135	90	145	3
4967	YB10L-B2	11	130	135	90	145	3
4520	12N12A-4A-1	12	115	134	80	160	4
4525	YB12A-A	12	165	134	80	160	4
4563	YB12A-B	12	165	134	80	160	4
4564	YB12AL-A	12	165	134	80	160	3
4579	YB12AL-A2	12	165	134	80	160	3
4565	YB12B-B2	12	120	160	90	130	4
4968	YB12C-A	12	165	134	80	175	4
4521	12N14-3A	14	130	134	89	166	3
4527	YB14-A2	14	145	134	89	166	4
4566	YB14-B2	14	145	134	89	166	4
4529	YB14L-A2	14	145	134	89	166	3
4567	YB14L-B2	14	145	134	89	166	3
4535	YB14A-A2	14	145	134	89	176	4
4569	HYB16A-A	16	150	149	89	178	4
4530	YB16AL-A2	16	175	205	70	162	3
4532	YB16B-A	16	175	160	90	162	4
4985	YB16B-A1	16	175	160	90	162	4
4570	12N18-3	18	165	205	90	162	3
4531	YB18L-A	18	190	180	90	162	3
4533	YB16-B	19	190	175	100	155	4
4574	YB16CL-B	19	190	175	100	175	3
4534	YB16L-B	19	190	175	100	155	3
4997	12Y16A-3A	19	210	185	81	170	3
4555	12Y16A-3B	19	210	185	81	170	3
4944	Y50-N18L-A	20	260	205	90	162	3
4572	Y50-N18L-A3	20	260	205	90	162	3
4501	12N24-3A	24	220	184	124	175	3
4523	12N24-4A	24	220	184	124	175	4
4934	U1-9	24	240	196	130	180	4
4935	U1R-11	30	300	196	130	180	3
4580	Y60-N24-A	28	280	184	124	169	4
4538	Y60-N24A-LB	28	280	184	124	169	3
4522	Y60-N24L-A	28	280	184	124	169	3
4943	Y60-N30-A	30	300	185	128	168	4

<b>4582</b>	Y60-N30L-A	30	300	185	128	168	3
<b>4998</b>	Y60-N30L-B	30	300	185	128	168	3
<b>4987</b>	YB30L-B	30	300	165	130	176	3



VOLT MC - Normaali (mukana happopatruuna)12 VOLT MC - Normaali (mukana happopatruuna)12 VOLT MC - Normaali (mukana happopatruuna)

